



Gain a new perspective on treatment: Join a STRENSIQ® (asfotase alfa) Event!

Date: October 23, 2025

Location: Virtual

Time: 7:00 PM ET

Speaker Name: Keith Reich, DO

Learn more about STRENSIQ from an experienced HPP healthcare provider, HPP patient or caregiver, and OneSource™

Are you or a loved one living with hypophosphatasia (HPP)? Take the next step and join our upcoming program to learn more about:

- How STRENSIQ works
- HPP from a patient or caregiver's perspective
- How to administer STRENSIQ
- OneSource, Alexion's personalized support program

Register for the program* by visiting www.strensiq.com/events or call 844-335-0372

Click or scan here!



*Once registered, you will receive a confirmation email with a link to access the webinar. You must be 18 years of age or older to register.

STRENSIQ® (asfotase alfa) INDICATION & IMPORTANT SAFETY INFORMATION INCLUDING BOXED WARNING

INDICATION

What is STRENSIQ?

STRENSIQ is a prescription medicine used to treat people with perinatal, infantile, and juvenile onset hypophosphatasia (HPP).

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about STRENSIQ?

STRENSIQ may cause serious side effects, including severe allergic (hypersensitivity) reactions. Allergic reactions are common with STRENSIQ treatment and can be severe and life-threatening. Severe allergic reactions have happened in some people within minutes after receiving STRENSIQ and more than 1 year after starting treatment with STRENSIQ. Stop using STRENSIQ and go to the nearest hospital emergency room right away if you or your loved one get any of the following signs and symptoms of a serious allergic reaction:

- | | | |
|--|----------------------|--|
| ◦ difficulty breathing | ◦ nausea or vomiting | ◦ chills |
| ◦ choking sensation | ◦ fever | ◦ skin redness |
| ◦ swelling of your eyes, lips, or tongue | ◦ headache | ◦ skin rash or hives |
| ◦ dizziness | ◦ sweating | ◦ itching or numbness of the tongue, lips, cheeks, or gums |
| | ◦ feeling irritable | |

Please see full [Prescribing Information](#) and [Patient Information](#) for STRENSIQ (asfotase alfa), including Boxed WARNING regarding severe allergic (hypersensitivity) reactions.

IMPORTANT SAFETY INFORMATION (cont'd)

What are the other possible side effects of STRENSIQ?

STRENSIQ may cause other serious side effects, including:

- **skin thickening or pits at the injection site (lipodystrophy).** Lipodystrophy is common and has happened after several months in people treated with STRENSIQ.
- **calcium build-up in the eyes and kidneys.** People with HPP are at increased risk for developing calcium build-up in the body. Calcium build-up in the eyes and kidneys has happened and is a common side effect of STRENSIQ. Calcium build-up in the eyes and kidneys may also happen in people with HPP who are not treated with STRENSIQ. Your healthcare provider should check your eyes and kidneys before and during treatment with STRENSIQ.
- **immune-related effects.** You may develop antibodies during treatment that may decrease how well STRENSIQ works. Tell your healthcare provider right away if you get worsening symptoms of HPP including: difficulty breathing, difficulty walking, feeling tired, bone pain, stiff joints, or loss of appetite.

The most common side effects of STRENSIQ include local skin injection site reactions such as skin redness, bruising, color change, pain, itching, hardening of the skin (induration), swelling, and bumps. These are not all the possible side effects of STRENSIQ. For more information, ask your healthcare provider or pharmacist. Call your healthcare provider for medical advice about side effects.

You will begin receiving STRENSIQ under the supervision of a healthcare provider. Tell your healthcare provider about all your medical conditions, including if you:

- have had an allergic reaction to STRENSIQ.
 - are pregnant or plan to become pregnant. It is not known if STRENSIQ will harm your unborn baby.
 - are breastfeeding or plan to breastfeed. It is not known if STRENSIQ passes into your breast milk.
- Talk to your healthcare provider about the best way to feed your baby if you use STRENSIQ.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

There is a registry for people who use STRENSIQ. The purpose of this registry is to collect information about HPP and about what happens when you use STRENSIQ for a long time. For more information about this registry, talk with your healthcare provider or go to www.hppregistry.com

To report SUSPECTED SIDE EFFECTS, contact Alexion Pharmaceuticals, Inc. at 1-844-259-6783 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch

Please see full [Prescribing Information](#) and [Patient Information](#) for STRENSIQ (asfotase alfa), including Boxed WARNING regarding severe allergic (hypersensitivity) reactions.